

GENIO Sfera C4

ELCA
RADIOCOMANDI

Elca s.r.l.
Via del Commercio, 7/B
36065 Mussolente (VI)



TRASMITTER

RECEIVER

BATTERY CHARGER

BATTERY

TECHNICAL DATA:

Transmitter protection level: IP65
Receiver protection level: IP44
Transmitter dimensions: 234x156x141 mm
Receiver dimensions: 170x500x90 mm
Transmitter weight: 1,1 Kg
Working temperature : -20/+55°C
Voltage applicable to the contacts: max 30 Vdc
Operating distance: 150m
ISM band working frequency: 433,100-434,790 MHz
Autonomy at 20°C: approx. 20 hours

Symbol description:



Spring return toggle switch.



Stay put toggle switch.



Spring return joystick.



Stay put joystick.



Coulisse for joystick.

A single arrow indicates a single command.



Push button.



Rotary switch.




STOP push button.



ON-OFF key switch.



START key switch.



rif. GESFC4-00

ARTICLE: GESFAIC4XXE05

ON/OFF INDUSTRIAL SAFETY RADIO REMOTE CONTROL SYSTEM CONSISTING OF:

- n. 01 Waist portable transmitting unit with: internal antenna and commands as per above layout;
- n. 01 receiver type "Genio-D" with: internal antenna, 24 **Vdc power supply** and 24 poles connector output (not wired);
- n. 01 control battery charger type: "CONTROL-GE 9-30 Vdc";
- n. 02 rechargeable batteries type: "PINC-GE NiMh 7,2V 700mAh";
- Multilingual instruction manual, EU certificate

ACCESSORIES INCLUDED IN THE PACKAGE:

- Waist-belt